



PETRONAS

SELENIA

For the
passion inside

Product brochure



For the passion inside.



The Selenia story

For the freedom of the open road.

For wherever the journey takes you.

For the passion inside.

For some people, a car is just a car. For you, it's a passion that's stood the test of time. A part of who you are.

Every curve, every vista, every throaty engine roar... When something's right, you can feel it inside – and it's a feeling like no other. A feeling you want to protect.

And for over 30 years, Selenia has been doing just that – taking the very best care of the things you care about.



SELENIA

Selenia

For the passion inside



**For whatever you love,
for over three decades,
PETRONAS has been there.**

Protecting passion for over 30 years

Selenia has been trusted by global brands for over three decades. We were the reference brand for the lubrication and protection of all FCA Group engines since 1988, and continue to be relied on by major names to this day.



For big brands and everyday drivers

From the biggest names on the road to people who love their cars, people who need their cars and people who simply drive them. We've been there, optimising performance, providing maximum protection, better fuel efficiency, superior thermal control and reduction in friction.



**It's more than just a passion
- it's a part of who you are.**



Enabling your ambitions

When you've got a passion, you need something that can take care of it. Selenia has been designed to protect every moving part of the engine, using technological expertise acquired from the 100 year history of the car.

We understand what drives you

Your passion is our passion. Whether that's the rush of a bend, the anticipation of the acceleration, or the joy of an open road, we know how much it matters. Taking better care means taking better care of your engine, which is exactly what Selenia does.

**For every moving part, for
whatever drives you forwards.**



The new Selenia range

Different passions need different products. Our product range caters for whatever you love, allowing you to chase your dreams in confidence.



Selenia Perform CP Plus 0W-20

Description and Applications

SELENIA PERFORM CP PLUS is an 0W-20 SAE Grade engine oil designed for passenger cars using direct injection in turbocharged gasoline engines and diesel engines such as in Peugeot and Citroen (please refer to the owner's manual); it is also suitable for engines equipped with after treatment exhaust system, or emissions control devices such as diesel particulate filters and catalytic converters; fuel injectors, multi-valves or turbochargers operating under severe conditions.

SELENIA PERFORM CP PLUS provides exceptional Fuel Economy and uses a low SAPS technology to make it compatible with exhaust gas after treatment systems and to ensure their efficiency is maintained throughout the life of the vehicle.

COD. 70866

Features and Benefits:

- Outstanding wear protection for engines with high power performance
- Exceptional Fuel Economy
- Exceptional protection against turbochargers deposits
- Exceptional thermal control, at both high and low temperatures
- Exceptional friction reduction among mechanical components
- Exceptional engine performance and power output



Approvals:

- PSA B71 2010

Performance levels:

- FCA 955535-DM1

Note: Always consult your owner's manual to check recommended specifications for your particular vehicle.

Selenia Perform WR Plus 0W-30

Description and Applications

SELENIA PERFORM W.R. PLUS 0W-30 is a lubricant engineered for diesel engines that require products with a low ash content. Its low ash content protects the particulate filter from the residual products of combustion, maintaining high efficiency of the exhaust gas after-treatment systems. Its viscosity grade permits to increase the fuel economy characteristics and consequently the reduction of CO2 produced.

SELENIA PERFORM W.R. PLUS 0W-30 is a synthetic lubricant especially designed for Euro 6 diesel engines equipped with after treatment exhaust systems and emission control devices such as diesel particulate filter.

COD. 70654

Features and Benefits:

- Exceptional wear protection for engines with high power performance
- Outstanding Fuel Economy
- Exceptional protection against turbochargers deposits
- Exceptional thermal control, at both high and low temperatures
- Exceptional friction reduction among mechanical components
- Exceptional engine performance and power output



Approvals:

- FCA 955535-DS1

Note: Always consult your owner's manual to check recommended specifications for your particular vehicle.

Selenia Perform P.E. Plus 0W-30

Description and Applications

SELENIA PERFORM P.E. PLUS 0W-30 is a lubricant engineered for gasoline engines that require oils with a low ash content. It maximizes the characteristics of the engine, protects the parts mostly subjected to stress and helps to keep catalysts systems clean. Its viscosity grade permits to increase the fuel economy characteristics and consequently the reduction of CO2 produced.

SELENIA PERFORM P.E.PLUS 0W-30 is a synthetic lubricant designed for Euro 6 gasoline engines, especially for TwinAir engines. This lubricant enables maximum protection of the engine even under high mechanical stress caused by the "start-stop" driving conditions of city traffic and is also suitable for vehicles running on biofuels and hybrid vehicles.

COD. 70655

Features and Benefits:

- Outstanding wear protection for engines with high power performance
- Outstanding Fuel Economy
- Superior protection against turbochargers deposits
- Outstanding thermal control, at both high and low temperatures
- Outstanding friction reduction among mechanical components
- Outstanding engine performance and power output



Approvals:

- FCA 955535-GS1

Note: Always consult your owner's manual to check recommended specifications for your particular vehicle.

Selenia Perform WR 5W-30

Description and Applications

SELENIA PERFORM W.R. 5W-30 is a lubricant engineered for diesel engines that require products with a low ash content. Its low ash content protects the particulate filter from the residual products of combustion, maintaining high efficiency of the exhaust gas after treatment systems.

SELENIA PERFORM W.R. 5W-30 is a synthetic lubricant especially developed for Euro 5 diesel engines equipped with after treatment exhaust systems and emissions control devices such as diesel particulate filter. Suitable for with gasoline engine naturally aspirated also turbocharged.

COD. 70653

Features and Benefits:

- Outstanding wear protection for engines with high power performance
- Superior Fuel Economy
- Outstanding protection against turbochargers deposits
- Outstanding thermal control, at both high and low temperatures
- Superior friction reduction among mechanical components
- Superior engine performance and power output



Specifications:

- ACEA C2,C3

Performance Levels:

- FCA 955535-S1
- PSA B71 2290

Note: Always consult your owner's manual to check recommended specifications for your particular vehicle.

Selenia Perform 5W-30

Description and Applications

SELENIA PERFORM 5W-30 is an engine oil developed for passenger cars using direct injection turbocharged gasoline engines and diesel engines; as well as vehicles equipped with after treatment exhaust system and emission control devices such as diesel particulate filters and catalytic converters; fuel injectors, multi-valves or turbochargers operating under severe conditions.

Its low ash lubricant technology ensures protection of the particulate filter, maintaining high efficiency of the exhaust gas after treatment systems and fuel economy.

COD. 70867

Features and Benefits:

- Outstanding wear protection for engines with high power performance
- Superior Fuel Economy
- Exceptional protection against turbochargers deposits
- Outstanding thermal control, at both high and low temperatures
- Superior friction reduction among mechanical components
- Superior engine performance and power output



Specifications:

- ACEA C2, C3

Approvals:

- OV 040 1547 – D30

Performance levels:

- FCA 955535-S3

Note: Always consult your owner's manual to check recommended specifications for your particular vehicle.

Selenia 20K Plus 5W-40

Description and Applications

SELENIA 20K PLUS 5W-40 is a lubricant engineered to effectively control the heat, resist oxidation and prevent oil degradation and deposits build up, to protect parts and maintain engine efficiency for the full drain interval.

SELENIA 20K PLUS 5W-40 is a synthetic-based lubricant especially designed for diesel and gasoline Euro 4 engine cars with direct injection, both aspirated and turbo-charged.

COD. 70651

Features and Benefits:

- Enhanced wear protection for engines with high power performance.
- Enhanced protection against turbochargers deposits.
- Enhanced thermal control, at both high and low temperatures.
- Enhanced friction reduction among mechanical components.
- Enhanced engine performance and power output.



Specifications:

- API SN
- ACEA A3/B4

Approvals:

- FCA 955535-H2
- FCA 955535-M2
- FCA 955535-N2

Performance Levels:

- MB 229.5
- VW 502.00 / 505.00
- BMW LL-01
- RN0700 / RN0710
- Porsche A40

Note: Always consult your owner's manual to check recommended specifications for your particular vehicle.

Selenia Perform P.E. 5W-40

Description and Applications

SELENIA PERFORM P.E.5W-40 is a lubricant engineered for gasoline engines that require oils with a low ash content. It maximizes the characteristics of the engine, protects the parts mostly subjected to stress and helps to keep catalysts systems clean.

SELENIA PERFORM P.E. 5W-40 is a synthetic-based lubricant designed for gasoline Euro 5 engines, also if equipped with variable valve timing system especially for MultiAir engines. It is also suitable for vehicles running on biofuels and those equipped with after treatment exhaust system, and emissions control devices such as catalytic converters; fuel injectors, multi-valves or turbochargers operating under severe conditions.

COD. 70652

Features and Benefits:

- Superior wear protection for engines with high power performance
- Enhanced protection against turbochargers deposits
- Superior thermal control, at both high and low temperatures
- Superior friction reduction among mechanical components
- Superior engine performance and power output
- Wide ambient temperature range to satisfy variable valve system requirement



Specifications:

- API SN
- ACEA C3

Performance Levels:

- FCA 955535-S2

Note: Always consult your owner's manual to check recommended specifications for your particular vehicle.

Selenia 20K 10W-40

Description and Applications

SELENIA 20K 10W-40 is a lubricant engineered to effectively control the heat, resist oxidation, and prevent oil degradation and deposits build up, to protect parts and maintain engine efficiency for the full drain interval.

SELENIA 20K 10W-40 is especially designed for diesel and gasoline engines requiring Euro 3 and is also suitable for previous engines technologies.

COD. 70650

Features and Benefits:

- Enhanced wear protection for engines with high power performance.
- Enhanced friction reduction among mechanical components.
- Enhanced engine performance and power output.



Specifications:

- API SN
- ACEA A3/B4

Approvals:

- FCA 955535-G2
- FCA 955535-D2

Performance Levels:

- MB 229.3
- VW 501.01 / 505.00
- RN0700 / RN0710
- PSA B71 2300

Note: Always consult your owner's manual to check recommended specifications for your particular vehicle.

Selenia Gold Synth 10W-40

Description and Applications

SELENIA GOLD SYNTH 10W-40 is a lubricant designed to satisfy all the requirements of both petrol and Diesel passenger car engines. The special synthetic based formula ensures total engine protection and high efficiency at all running temperatures.

COD. 70771

Features and Benefits:

- Enhanced wear protection for engines with high power performance.
- Enhanced friction reduction among mechanical components.
- Enhanced engine performance and power output.



Specifications:

- ACEA A3/B4
- API SN

Note: Always consult your owner's manual to check recommended specifications for your particular vehicle.

Selenia Racing 10W-60

Description and Applications

SELENIA RACING 10W-60 has been developed based on our many years' experience with the Selenia racing team on some of the most important international circuits. SELENIA RACING 10W-60 is an engine oil especially designed for passenger cars with high-powered racing engines, including gasoline and diesel engines, as well as the latest high-performance cars fitted with fuel injection, multi-valves, turbochargers, or superchargers operating under most severe conditions.

SELENIA RACING 10W-60 is suitable for use in Turismo cars, especially for racing purposes, either on the track or on road for rally.

COD. 70865

Features and Benefits:

- Outstanding wear protection for engines with high power performance
- Superior protection against turbochargers deposits
- Superior thermal control, at both high and low temperatures
- Enhanced friction reduction among mechanical components
- Superior engine performance and power output



Specifications:

- API SN/CF
- ACEA A3/B4

Performance levels:

- FCA 955535-H3

Note: Always consult your owner's manual to check recommended specifications for your particular vehicle.

SELENIA

	CODE	VISCOSITY	APPROVALS	SPECIFICATIONS	PERFORMANCE LEVELS	AVAILABLE
SELENIA PERFORM CP PLUS 	70866	0W-20	PSA B71 2010	---	FCA 955535-DM1	5L
SELENIA PERFORM WR PLUS 	70654	0W-30	FCA 955535-DS1	---	---	200L
SELENIA PERFORM P.E. PLUS 	70655	0W-30	FCA 955535-GS1	---	---	200L
SELENIA PERFORM WR 	70653	5W-30	---	ACEA C2,C3	FCA 955535-S1 PSA B71 2290	1L 5L 200L
SELENIA PERFORM 	70867	5W-30	OV 040 1547 – D30	ACEA C2, C3	FCA 955535-S3	5L
SELENIA 20K PLUS 	70651	5W-40	FCA 955535-H2 FCA 955535-M2 FCA 955535-N2	API SN ACEA A3/B4	MB 229.5 VW 502.00 / 505.00 BMW LL-01 RN0700 / RN0710 PORSCHE A40	1L 5L 200L
SELENIA PERFORM P.E. 	70652	5W-40	---	API SN ACEA C3	FCA 955535-S2	1L 5L 200L
SELENIA 20K 	70650	10W-40	FCA 955535-G2 FCA 955535-D2	API SN ACEA A3/B4	MB 229.3 VW 501.01 / 505.00 RN0700 / RN0710 PSA B71 2300	1L 5L 200L
SELENIA GOLD SYNTH 	70771	10W-40	---	API SN ACEA A3/B4	---	1L 2L
SELENIA RACING 	70865	10W-60	FCA 955535-H3	API SN/CF ACEA A3/B4	---	5L



PETRONAS

SELENIA



www.pli-petronas.com