

BORN TO BE TOGETHER



PRODUCT CATALOGUE



SELENIA



UNITED BY A PASSION FOR PERFORMANCE.

PETRONAS, makes technological innovation its pillar and aims to address each and every one of its clients' needs; with **10 mixing & filling plants**, and more than **30 sales offices**. In addition, to facilitate this innovation PETRONAS employs more than **2,000 professionals** around the world, of which over **240 are scientists, technicians or engineers**.


Research which is fundamental at every level, is carried out at the **R&T Centre in Santena**. This strategic base remains close to its main OEM partners.

All types of PETRONAS lubricants, including SELENIA FL, have been consolidated into a new company called PETRONAS Lubricants International. PLI, was created to provide world class innovative products which ensure the best performance for FIAT, ALFA ROMEO, LANCIA, FIAT PROFESSIONAL, ABARTH, JEEP and CHRYSLER

branded vehicles.

PLI is a dynamic company

which has been innovating and developing high quality products, for over 100 years. Using their comprehensive industry knowledge whilst working collaboratively with passion and dedication, they have formulated a range of products which improve reliability and performance in all engines.



SELENIA





SELENIA



WHAT YOUR ENGINE NEEDS, AND YOU WANT.

We have been delivering and innovating **Selenia Mopar** for over 29 years to meet the demands of our customers. Selenia Mopar is recommended for FIAT, ALFA ROMEO, LANCIA, FIAT PROFESSIONAL, ABARTH, JEEP and CHRYSLER branded vehicles. The innovative lubricants meet all the engine's needs to reduce consumption and environmental impact. All lubricants are rigorously tested and approved by Stellantis companies before receiving the Contractual Technical Reference, the approval which verifies and certifies the products.

At **Selenia Mopar** we are constantly striving to develop the next generation of products which deliver maximum protection, in addition to maintaining long-term reliability and best-in-class performance. Our range also importantly helps promote

fuel economy.

With their low viscosity grade

combined with compliance with ACEA C international specifications, they can be used in EURO V and EURO VI engines. Developed with different formulations and gradations, **Selenia Mopar's** lubricants guarantee world-class reliability and excellent performance. Selenia Mopar is premium fluid which has been specifically formulated to meet the individual needs of each car and to provide excellent performance.



PRODUCT RANGE

PRIME OILS





SAE 5W-40
ACEA C3
API SN
ABARTH 0102
COD. 70302

SAE 10W-50
ACEA C3
ABARTH 0101
COD. 70200



SELENIA ABARTH 5W-40

Selenia ABARTH 5W-40 is a fully synthetic lubricant developed in collaboration with STELLANTIS formulated for **high-performance** passenger car engines fitted with MultiAir System.

Its high cleansing and dispersing power as well as extreme

viscometric stability

enables the highest levels of performance and protection throughout the duration between oil drain intervals.

SELENIA ABARTH 10W-50

Selenia Abarth 10W-50 is a fully synthetic lubricant developed in collaboration with STELLANTIS. It brings about the utmost performance for passenger car engines with **high specific power.**

Selenia Abarth 10W-50

is specially formulated for all

Abarth cars

that are fitted with the Tuning Kit that increases the engine performance.

The **Abarth relationship** is a testimony to the superiority of Selenia Mopar products.



SAE 5W-30
API SP
ILSAC GF-6
MS 13340
FCA 955535-GSY
CTR N° F036.H20
COD. 70628



SELENIA K POWER PLUS 5W-30

Selenia K Power Plus 5W-30

is a synthetic lubricant developed in collaboration with STELLANTIS for American design petrol engines, specially formulated to allow excellent resistance to oxidation and high-level **fuel economy.**

Excellent protection at high temperatures. Specifically designed to limit the LSPI events.

A new API SP classification has been developed to tackle the issue

Selenia K Power Plus has been **carefully tailored**

to resolve this issue and meets Stellantis requirements.



SAE 5W-40
API SN
ACEA C3
FCA 955535-GH2
CTR N° F022.B18
COD. **70548**



SELENIA QUADRIFOGLIO 5W-40

Selenia Quadrifoglio 5W-40

is a fully synthetic lubricant developed in collaboration with STELLANTIS that is tailor-made for passionate enthusiasts of driving, specially designed to improve

the sporting performance

and bring the best out of Alfa Romeo Quadrifoglio engines.

Quadrifoglio, ever side by side with those who dare, now wants to celebrate the symbol of a

unique passion

An innovative formula which achieves achieving unique results in terms of **efficiency** and **engine safety**.

This **latest generation** lubricant allows **maximum engine cleaning**, a more efficient use of the power supplied and an extension of the oil-change interval.



PRODUCT RANGE | GENUINE OILS





SAE 0W-30
ACEA C2
PSA B71 2312
COD. 70748

SAE 0W-20
ACEA C5
FCA 955535-DM1
CTR n° F049.C18
COD. 70333



SELENIA ECO2 0W-20

Selenia ECO2 is a synthetic lubricant developed in collaboration with STELLANTIS for passenger car engines that is formulated to have low ash characteristics and provides **very high energy saving fluid.** It is specially formulated to meet the requirements for **EURO 6D engines.**

Due to its **high performance** and competitive cost, ECO2 0W-20 is the accepted engine oil for different STELLANTIS engine platforms.

SELENIA ECO2 CP 0W-30

Selenia ECO2 CP is a synthetic lubricant developed in collaboration with STELLANTIS for passenger car engines that is formulated to have low ash characteristics and provides **high energy saving fluid.**

It is specially formulated to meet the **ACEA C2** and **PSA** requirements.



SAE 0W-30
ACEA C2
FCA 955535-GS1
CTR n° F020.B12
COD. 70236



SELENIA DIGITEK PURE ENERGY 0W-30

Selenia DIGITEK PURE ENERGY 0W-30 is a fully synthetic lubricant developed in collaboration with STELLANTIS formulated for modern passenger car petrol EURO 6 engines.

Its particular viscosity grade

and specific formulation are able to increase the fuel economy characteristics and consequently the reduction of CO2 produced.

Specially formulated

for Jeep hybrid engines and TwinAir two-cylinder engines, **Selenia DIGITEK PURE ENERGY** enables to increase the fuel economy characteristics when you drive in pure petrol or in petrol hybrid mode and ensures maximum protection of the engine even under high mechanical stress caused by the "start-stop" driving conditions of city traffic.



SELENIA DIGITEK 0W-40

SAE 0W-40
ACEA A3/B4
API SN
FCA 955535-Z2 CTR n° F155.G15
COD. **70020**

SELENIA STAR PURE ENERGY 5W-40

SAE 5W-40
ACEA C3
API SN
FCA 955535-S2 CTR n° F603.D08
COD. **70547**



SELENIA K PURE ENERGY 5W-40

SAE 5W-40
ACEA C3
API SM
FCA 955535-S2 CTR n° F603.C07
COD. **70026**



SELENIA K 5W-40

SAE 5W-40
ACEA A3/B4
API SN
FCA 955535-M2 CTR n° F214.I05
COD. **70019**





SAE 0W-20
ACEA C5
FCA 955535-DSX
CTR n° F013.K15
COD. **70311**



SELENIA WR FORWARD 0W-20

Selenia WR FORWARD 0W-20

is a fully synthetic lubricant developed in collaboration with STELLANTIS specifically designed for latest generation passenger cars with

diesel engines

(Euro 6 Standards with UREA) and for high-performance engines in the luxury and sport cars segments.

Its viscosity grade permits to increase

the fuel economy

characteristics and consequently the reduction of CO2 produced.



SELENIA WR FORWARD 0W-30

SAE 0W-30
ACEA C2
FCA 955535-DS1 CTR n° F842.F13
COD. **70253**

SELENIA WR PURE ENERGY 5W-30

SAE 5W-30
ACEA C2
FCA 955535-S1 CTR n° F510.D07
COD. **70205**



SELENIA WR 5W-40

SAE 5W-40
ACEA A3/B4
API SN
FCA 955535-N2 CTR n° F515.D06
COD. **70157**

SELENIA WR FORWARD 5W-30

SAE 5W-30
ACEA C4
FCA 955535-S4 CTR n° F023.N15
RN 0720
COD. **70675**





SELENIA K POWER PLUS 0W-20

SAE 0W-20
API SP
ILSAC GF-6A
MS 6395
FCA 955535-CR1 CTR N° F055.G22
COD. **70793**

SAE 5W-20
API SP
ILSAC GF-6A
MS 6395
FCA 955535-CR1
CTR n° F056.G22
COD. **70790**



SELENIA K POWER PLUS 5W-20

Selenia K POWER PLUS 5W-20 is a fully synthetic lubricant developed in collaboration with STELLANTIS for American-made passenger car petrol engines and is specially formulated to ensure **excellent resistance** to oxidation.

Its particular viscosity grade further improves its **fuel economy** characteristics and is also designed for engines with Multi-Displacement System (MDS). Specifically designed to limit the LSPI events.



SAE 5W-30
 ACEA C3
 API SN
 MS 11106
 FCA 955535-S3
 CTR n° F129.F11
 COD. **70551**

SAE 5W-40
 ACEA C3
 API SM
 FCA 955535-T2
 CTR n° F922.E09
 COD. **70552**



SELENIA MULTIPOWER C3 5W-30

Selenia **MULTIPOWER C3 5W-30** is a high-performance synthetic lubricant developed in collaboration with STELLANTIS formulated for passenger cars with **petrol and diesel** engines that require products capable of minimizing ash deposits such as sulphate ashes, phosphorus and sulphur.

SELENIA MULTIPOWER GAS 5W-40

Selenia **MULTIPOWER GAS 5W-40** is a fully synthetic lubricant developed in collaboration with STELLANTIS designed for passenger cars with petrol engines, as well as turbocharged, powered with methane or LPG.

Its formulation improves **valve protection** against wear, neutralises acid compounds formed by the combustion and helps to retain the performance level of the engine.



SAE 10W-60
 FCA 955535-H3
 CTR n° F007.A00
 COD. **70781**

SAE 5W-40
 ACEA A3/B4
 API SN
 FCA 955535-Z2
 CTR n° F716.B08
 COD. **70158**



SELENIA RACING 10W-60

Selenia RACING 10W-60 has been developed in collaboration with STELLANTIS from the experience accumulated over the many years of the Selenia racing team on important international circuits.

Selenia RACING 10W-60 is suitable for use in Turismo cars especially for **racing purposes** either on the track or on road for rally.

SELENIA SPORT 5W-40

Selenia SPORT 5W-40 is a fully synthetic lubricant developed in collaboration with STELLANTIS. It fulfills the needs of high-performance engines. Specially formulated to protect the engine also in high thermal stress conditions, it prevents deposits on the turbine to achieve the utmost performance in safety.

It is formulated to bring about **outstanding performance** for the car even for sporting purposes and even when the engine is subjected to extreme driving conditions. Selenia SPORT protects the engine up to high temperatures and it is the ideal oil to obtain safety and the best result.

DEDICATED FLUIDS

FOR DIFFERENT WAYS.

TRASMISSION

Tutela Transmission GI/A	76029
Tutela Transmission GI/E	76406
Tutela Transmission GI/R	76016
Tutela Transmission GI/Z	77240
Tutela Transmission GI/V	77212
Tutela Transmission GI/VI	76015
Tutela Transmission FORCE4	76014
Tutela Transmission AS8	76011
Tutela Transmission GI/PA	77241
Tutela Transmission TECHNIX	76003
Tutela Transmission ZC SUPREME	77218
Tutela Transmission MATRYX	76009
Tutela Transmission EXPERYA	76540
Tutela Transmission GEARTECH	76403
Tutela Transmission GEARFORCE	76008
Tutela Transmission GEARSYNTH LV	77225
Tutela Transmission GEARSYNTH	77226
Tutela Transmission GEARSYNTH Z3	77243
Tutela Transmission GEARSYNTH Z4	77242
Tutela Transmission GEARSYNTH LL	77229
Tutela Transmission GEARSYNTH MT	76961
Tutela Transmission W90/M-DA	76022
Tutela Transmission MULTIAXLE	76589
Tutela Transmission CROSS	76435
Tutela Transmission X-ROAD	76253
Tutela Transmission B-5X	76246
Tutela Transmission COMPAQ DRIVE	76247
Tutela Transmission AXLE-DRIVE	76049
Tutela Transmission LS AXLE FLUID	76048
Tutela Transmission HYPOIDE GEAR OIL	76045
Tutela Transmission TRANSFER CASE	77227
Tutela Transmission AXLE Z	77244
Tutela Transmission AXLE Z-LS	77245
Tutela Transmission HYPOIDE LL	76438
Tutela CS SPEED	76012
Tutela Transmission MTF 900	77497
Tutela Transmission DCT 700	81004
Tutela Transmission DCT 700 H	81086

BRAKE FLUID

Tutela EXTREME HT	76002
Tutela TOP 4/S	76007
Tutela TOP EVO	76886

GREASE

Tutela Grease ZETA 2	76028
Tutela Grease MR 3	76414
Tutela Grease ALL STAR (sost. STAR 500)	76030
Tutela Grease STAR 700 (sost. MRM ZERO)	76031

ANTIFREEZE

PARAFLU 11	76055
PARAFLU UP	76059
PARAFLU PLUS READY TO USE	77156



